



FLOORING
**CATA
LOG**



SPC / LVT

Get In Touch _____

PHONE : (619) 354-3092

EMAIL : sales@construct-source.com

ADDRESS : 11F, 9255 Sunset Blvd, Ste 1100, Los Angeles, CA 90069
7901 4th street N, 7374, St. Petersburg, Florida
7101 Esplanade Blvd, Suite 400 Houston Tx 77060




SPC is Latest technology generation which combine the beauty of wood with strength of stone.

SPC FLOORING

SPC flooring, which stands for Stone Plastic Composite, is a luxury flooring option that uses a mixture of limestone and stabilizers at its core to provide a core that is very durable, stable and hardly move. Due to its high stability and strength the SPC (sometime call Rigid core) is ideally suited for use in higher traffic areas such as commercial properties where a more heavy-duty flooring is required as well as extreme conditions areas. For example, while normal LVT will not be suitable for all type of UFH (under floor heating) the SPC will. The stone core of SPC makes it more adaptable to drastic temperature fluctuations, and it is also less prone to movement.



CLICK-SPC



CLICK-SPC WITH UNDER LAYER


PRODUCT STRUCTURE

LVT FLOORING


Luxury vinyl tiles are the latest innovation in modern flooring technology. Also known as LVT, this high-quality smooth flooring combines the realistic look and feel of a wooden or stone floor with the practical features needed for a busy modern home. Each luxury vinyl tile or plank is made up of many different layers, resulting in a smart and stylish floor with super strength and durability that's also stain - and water -resistant. It comes in a range of different natural designs from oak, to whitewashed wood, to slate - even the most eagle-eyed will struggle to spot the difference between LVT and a genuine wooden or stone floor!




PRODUCT STRUCTURE




Click



Loose Lay



Dry Back



Self Adhesive

SURFACE TREATMENT




Coral



Slate



Crystal



Deep Embossed



EIR



Handscraped

PRODUCT SPECIFICATION

	Lvt		Lvt Tile		Spc			Spc Tile	
Size	6"x36" 7"x48"	6"x48" 9"x48"	12"x12" 24"x24"	18"x18" 36"x36"	6"x48" 9"x36"	7"x48" 12"x24"	9"x48" 9"x60"	12"x12" 24"x24"	18"x18" 36"x36"
Thickness	1.5 - 5.0 mm				3.8 - 8 mm				
Wear Layer	0.07 - 0.7 mm				0.15 - 0.7 mm				

PATTERN

Size: 6" x 36" (152.4 x 914.4mm)
6" x 48" (152.4 x 1219.2mm)
7" x 48" (177.8 x 1219.2mm)
9" x 48" (228.6 x 1219.2mm)
Thickness: 1.5mm - 5.0mm
Wear Layer: 0.07mm - 0.7mm

DBV97



DBV97



DBV47

PATTERN



DBV02



DBV02



DBV23




DBV06

Size: 6" x 36" (152.4 x 914.4mm)
6" x 48" (152.4 x 1219.2mm)
7" x 48" (177.8 x 1219.2mm)
9" x 48" (228.6 x 1219.2mm)
Thickness: 1.5mm - 5.0mm
Wear Layer: 0.07mm - 0.7mm

PATTERN



DBV23



DBV96



DBV90



DBV72

Size: 6" x 36" (152.4 x 914.4mm)
6" x 48" (152.4 x 1219.2mm)
7" x 48" (177.8 x 1219.2mm)
9" x 48" (228.6 x 1219.2mm)
Thickness: 1.5mm - 5.0mm
Wear Layer: 0.07mm - 0.7mm

PATTERN



DBV15



DBV13



DBV12

DBV15

Size: 6" x 36" (152.4 x 914.4mm)
6" x 48" (152.4 x 1219.2mm)
7" x 48" (177.8 x 1219.2mm)
9" x 48" (228.6 x 1219.2mm)
Thickness: 1.5mm - 5.0mm
Wear Layer: 0.07mm - 0.7mm

PATTERN



DBV77



DBV73



DBV75



DBV77

Size: 6" x 36" (152.4 x 914.4mm)
6" x 48" (152.4 x 1219.2mm)
7" x 48" (177.8 x 1219.2mm)
9" x 48" (228.6 x 1219.2mm)
Thickness: 1.5mm - 5.0mm
Wear Layer: 0.07mm - 0.7mm

PATTERN

DBV35

Size: 6" x 36" (152.4 x 914.4mm)
6" x 48" (152.4 x 1219.2mm)
7" x 48" (177.8 x 1219.2mm)
9" x 48" (228.6 x 1219.2mm)
Thickness: 1.5mm - 5.0mm
Wear Layer: 0.07mm - 0.7mm



DBV41



DBV25

PATTERN

DBV57

Size: 6" x 36" (152.4 x 914.4mm)
6" x 48" (152.4 x 1219.2mm)
7" x 48" (177.8 x 1219.2mm)
9" x 48" (228.6 x 1219.2mm)
Thickness: 1.5mm - 5.0mm
Wear Layer: 0.07mm - 0.7mm



DBV57



DBV55

PATTERN



DBV03



DBV03



DBV33



DBV16

Size: 6" x 36" (152.4 x 914.4mm)
6" x 48" (152.4 x 1219.2mm)
7" x 48" (177.8 x 1219.2mm)
9" x 48" (228.6 x 1219.2mm)
Thickness: 1.5mm - 5.0mm
Wear Layer: 0.07mm - 0.7mm